



TITAN MACHINERY CO., LTD.

No.87, Yingxiang Road, Hushan Street, Wuyi County,
Zhejiang Province, China. 321200

Tel: +86 57989083008

Mob: +86 13566936020

Fax: +86 579 89083011

www.titantec.com

Titantec[®]

MAKE LIFE MORE BEAUTIFUL

LITHIUM-ION

CATALOG



CONTENTS

20V

1-13

BATTERY	1
LAWN MOWER	3
CHAIN SAW	5
GRASS TRIMMER	6
POLE SAW	7
POLE HEDGE TRIMMER	8
2IN1 MULTI-TOOL	9
LEAF BLOWER	11
HEDGE TRIMMER	12
CHARGER	13

2x20V

14-32

LAWN MOWER	17
SINGLE STEP SNOWPLOW	21
SNOW SHOVEL	22
CHAIN SAW	23
GRASS TRIMMER	24
2IN1 BRUSH CUTTING & GRASS TRIMMER	25
POLE SAW	26
POLE HEDGE TRIMMER	27
3IN1 MULTI-TOOL	28
LEAF BLOWER	29
2 IN 1 LEAF BLOWER	30
HEDGE TRIMMER	31
ICE DRIL	32

60V

33-44

BATTERY	33
LAWN MOWER	37
SCARIFIER	39
GRASS TRIMMER	40
3IN1 MULTI-TOOL	41
2 IN 1 LEAF BLOWER	42
HEDGE TRIMMER	43
CHARGER	44



20V MAX
LITHIUM-ION
BMS⁺ SYSTEM




TITANTEC BATTERY TT-BL2020

Voltage	20V
Capacity	2AH
LED power display	
net weight	0.38kg



TITANTEC BATTERY TT-BL2040

Voltage	20V
Capacity	4AH
LED power display	
net weight	0.65kg





LAWN MOWER TT-BLM2013


Voltage	20V
Motor	500W Brushless
Speed	3800RPM
Cutting diameter	330mm
Grass bag capacity	35L cloth & plastic
Four-wheel diameter	150mm, plastic wheel
Height mode (5 Gear)	25-65mm
Push rod system	Iron rod with quick release wrench and foldable
Net weight	9.3kg
No-load endurance	4.0AH ≥55min
Load endurance	4.0AH ≥25min



20V (2.0AH)



20V (4.0AH)



BRUSHLESS MOTOR

33CM CUTTING CAPACITY

THE POWER TO OUTPERFORM PETROL



ZERO EMISSIONS DURING USE

Our arc lithium battery gives petrol matching power but without the fuss and fumes



LESS NOISE AND LESS VIBRATION

Titantec often operate at lower noise and Vibration levels than traditional petrol powered tools



EASY SET UP AND STARTING

No filling up with fuel, with titantec just click in the battery and get to work



LOWER RUNNING COSTS

The cost of running a titantec product for a month is the same as using a two stroke product for a day



FOLD FLAT, EASY STORE DESIGN

Unlike large heavy petrol mowers, the titantec mower's fold flat design makes storage and cleaning simple



NO PETROL TO STORE

Instead, titantec rapid charger refuels batteries in as little as 48 minutes - less than the run time you get from a full charge

CHAIN SAW

TT-BCS2010


Voltage	20V
Motor	530W, Brushed
Max chain speed	5m/s
Bar&chain	10"
SDS system	Yes
Self-lubrication system	Yes
Kickback protection	Yes
Brake method	Electronic
Net weight	2.2kg
No-load endurance	4.0AH ≥60min
Load endurance	4.0AH ≥90pieces (Ø80mm round wood)



20V (2.0AH)



20V (4.0AH)



25.4CM BAR LENGTH

5 M/S CHAIN SPEED

CHAIN BRAKE




GRASS TIMMER

TT-BBC2030	TT-BBC2025
Voltage	20V
Motor	120W, Brushed
Speed	7000RPM
Cutting length	300mm
Line diameter	1.6mm
Line length	5m
Line out mode	Automatic
Line package	2x5m
Handle adjustment	0°-180°
Machine length	830mm-1100mm
Adjustable(4 Gear)	0°-22.5°-45°-67.5°
Trimming angle(3 Gear)	0°-90°-180°
With flower guard	Yes
Net weight	1.7kg
No-load endurance	2.0AH ≥28min
Load endurance	2.0AH ≥22min

TT-BBC2030 TRIMMER LINE
TT-BBC2025 BLADE

Voltage	20V
Motor	120W, Brushed
Speed	7400RPM
Cutting length	250mm
Cutting mode	plastic cutterhead + blade
Blade package	20pcs
Handle adjustment	0°-180°
Trimming angle (3 Gear)	0°-90°-180°
Machine length	830mm-1100mm
Adjustable(4 Gear)	0°-22.5°-45°-67.5°
With flower guard	Yes
Net weight	1.6kg
No-load endurance	2.0AH ≥36min
Load endurance	2.0AH ≥28min



25/30 CM CUTTING WIDTH

1.6MM LINE DIAMETER



20V (2.0AH)




20V (4.0AH)




POLE SAW TT-BPS2008


Voltage	20V
Motor	455W, Brushed
Chain speed	4m/s
bar&chain	8"
Working shaft length	1750mm-2500mm
Self-lubrication system	Yes
Net weight	2.65kg
No-load endurance	2.0AH ≥38min
Load endurance	2.0AH ≥45 pieces (Ø60mm round wood)



POLE HEDGE TRIMMER TT-BPH2042

Voltage	20V
Motor	220W, Brushed
Cutting length	420mm
Cutting diameter	16mm
Cutting speed	2700SPM
Head adjustment (6 Gear)	Up 22.5° Down 90°
Working shaft length	2000mm-2700mm
Double-action laser blade	Yes
Net weight	3kg
No-load endurance	2.0AH ≥60min
Load endurance	2.0AH ≥50min





2IN1 MULTI-TOOL **TT-BMT20**

Voltage	20V
Net weight	4.6kg
Saw	
Motor	455W, Brushed
Chain speed	4m/s
bar&chain	8"
Working shaft length	1750mm-2500mm
Self-lubrication system	Yes
No-load endurance	2.0AH ≥38min
Load endurance	2.0AH ≥45 pieces (Φ 60mm round wood)
Pruning shears	
Motor	220W, Brushed
Cutting length	420mm
Cutting diameter	16mm
Cutting speed	2700SPM
Head adjustment (6 Gear)	Up 22.5° Down 90°
Working shaft length	2000mm-2700mm
Double-action laser blade	Yes
No-load endurance	2.0AH ≥60min
Load endurance	2.0AH ≥50min



LEAF BLOWER

TT-BBL20

Voltage	20V
Motor	430W, Brushed
Max wind speed	40m/s
Max air volume:	595m ³ /h (350CFM)
Quick installation, removable air duct	
Stepless speed regulation with 5 gear	
Net weight	1.9kg
endurance	4.0AH ≥12min



20V (2.0AH)



20V (4.0AH)



350CFM
TURBO BOOST

HEDGE TRIMMER

TT-BHT2052


Voltage	20V
Motor	455W, Brushed
Cutting length	520mm
Cutting diameter	16mm
Cutting speed	2700SPM
Rear handle (3 Gear)	-90°-0°-90°
Brake method	Electronic
Double-action laser blade with hook	Yes
Net weight	2kg
No-load endurance	2.0AH ≥50min
Load endurance	2.0AH ≥40min



20V (2.0AH)



20V (4.0AH)



520MM
BLADE LENGTH 16MM
BLADE GAP





CHARGER **TT-BC2024**

Input voltage	200-240V(European standard)/100-120V(American standard) 50-60Hz
Input power	70W
Output voltage	DC 20V
Output current	MAX 2.4A
LED Charging Display	
Net Weight	0.35kg


► **TECH SPECS**

- Intelligent battery control system monitors each cell's charge and temperature to deliver the quickest, most efficient charge
- Easy to use snap-in and snap-out
- Charges all TITANTEC 20V batteries
- Dual Fast Charger—Rapidly charge up to 2 batteries in



CHARGER-Faster **TT-BC2048**

Input voltage	200-240V(European standard)/100-120V(American standard) 50-60Hz
Input power	140W
Output voltage	DC 20V
Output current	MAX 4.8A(2 output ports)
LED Charging Display	
Net Weight	0.68kg



Titantec
MAKE LIFE MORE BEAUTIFUL

2x20V MAX
LITHIUM-ION



**THE
POWER TO
OUTPERFORM
PETROL**



**ZERO EMISSIONS
DURING USE**

Our arc lithium battery gives petrol matching power but without the fuss and fumes



**LESS NOISE AND
LESS VIBRATION**

Titantec often operate at lower noise and Vibration levels than traditional petrol powered tools



**EASY SET UP AND
STARTING**

No filling up with fuel; with titantec just click in the battery and get to work



LOWER RUNNING COSTS

The cost of running a titantec product for a month is the same as using a two stroke product for a day



FOLD FLAT, EASY STORE DESIGN

Unlike large heavy petrol mowers, the titantec mower's fold flat design makes storage and cleaning simple




NO PETROL TO STORE

Instead, titantec rapid charger refuels batteries in as little as 48 minutes - less than the run time you get from a full charge

**370/430 PLASTIC DECK
LAWN MOWER**

**TT-BLM40145
TT-BLM4017**


Voltage	40V (2*20V)
Motor	650W/750W, Brushless
Speed	3200 constant speed/Max 3700RPM
Cutting diameter	370mm / 430mm
Grass bag capacity	40L, Cloth & Plastic
Front&Rear wheel	150mm/180mm, plastic
6 Gear height adjustment	25-75mm
Push rod	Iron
Grass collection method	Rear
Net weight	14.2kg / 15.6kg
No-load endurance	4.0AH ≥120min/4.0AH ≥110min
Load endurance	4.0AH ≥55min/4.0AH ≥45min



**460/510 IRON DECK
LAWN MOWER (HAND PUSH)**

**TT-BLM4018P
TT-BLM4020P**


Voltage	40V (2*20V)
Motor	850W, Brushless
Speed	3200RPM/3500RPM Dual constant speed
Cutting diameter	460mm / 510mm
Grass bag capacity:	50L Cloth & Plastic
Front&Rear wheel	180mm/250mm, rubber
6 Gear height adjustment	30-80mm
Grass collection method	Rear/Side
Working method	hand push
Push rod	Flip-up iron push rod
Net weight	25kg / 28kg
No-load endurance	4.0AH ≥65min / 4.0AH ≥40min
Load endurance	4.0AH ≥30min / 4.0AH ≥18min



**460/510 IRON DECK
LAWN MOWER** (BELT SELF-PROPELLED)

**TT-BLM4018BS
TT-BLM4020BS**

Voltage	40V (2*20V)
Motor	1000W, Brushless / 1150W, Brushless
Speed	3200RPM/3500RPM Dual constant speed
Cutting diameter	460mm / 510mm
Grass bag capacity	50L cloth & plastic
Front&Rear wheel	180mm/250mm,rubber
6 Gear height adjustment	30-80mm
Grass collection method	Rear/Side
Belt self-propelled speed	0.8m/s
Push rod	Flip-up iron push rod
Net weight	26kg / 29kg
No-load endurance	4.0AH ≥60min / 4.0AH ≥35min
Load endurance	4.0AH ≥25min / 4.0AH ≥15min




20V (2.0AH)

20V (4.0AH)

**460/510 IRON DECK
LAWN MOWER** (BRUSH SELF-PROPELLED)

**TT-BLM4018ES
TT-BLM4020ES**

Voltage	40V (2*20V)
Motor	850W, Brushless / 1000W, Brushless
Speed	3200RPM/3500RPM Dual constant speed
Cutting diameter	460mm / 510mm
Grass bag capacity	50L cloth & plastic
Front&Rear wheel	180mm/250mm,rubber
6 Gear height adjustment	30-80mm
Grass collection method	Rear/Side
Working method	Brush GT stepless self-propelled
Self-propelled speed	0.6-1.3m/s
Push rod	Aluminum push rod with adjustable height
Net weight	26kg / 29kg
No-load endurance	4.0AH ≥60min / 4.0AH ≥35min
Load endurance	4.0AH ≥25min / 4.0AH ≥15min



20V (2.0AH)

20V (4.0AH)

SINGLE STEP SNOWPLOW TT-BS4020

Voltage	40V (2*20V)
Motor	1000W, Brushless
Width	20" (508mm)
Auger length	390mm
Speed	2200RPM
Snow depth	12"
Outlet height	250mm
Outlet rotation angle	Rotate 90° to the left Rotate 90° to the right
Outlet Rotation angle adjustment method	Mechanical manual
Headlight	Yes
Working method	Hand-pushed
Auger transmission method	Belt-drive
Throwing height	3m
Throwing distance	6m
Wheel diameter	7"
Snow throwing angle (8 Gear)	0-58°
Net weight	14,9kg
No-load endurance	4.0AH ≥50min
Load endurance	4.0AH ≥35min



20V (2.0AH)



20V (4.0AH)



BRUSHLESS MOTOR

SNOW SHOVEL TT-BSS4013

Voltage	40V (2*20V)
Motor	400W, Brushless
Removal size	330mm
Auger length	275mm
Auger Speed	1500RPM
Throwing height	3m
Throwing distance	5m
Handle	180°
Snow throwing angle	Rotate 30° to the left Rotate 30° to the right
Net weight	6kg
No-load endurance	2.0AH ≥35min
Load endurance	2.0AH ≥25min



20V (2.0AH)




20V (4.0AH)



BRUSHLESS MOTOR

CHAIN SAW **TT-BCS4016**

Voltage	40V (2*20V)
Motor	1000W, Brushless
Chain speed	20m/s
Bar&chain	16"
SDS system	Yes
Self-lubrication system	Yes
Kickback protection	Yes
Brake method	Electronic & mechanical
Net weight	2.9kg
No-load endurance	4.0AH ≥50min
Load endurance	4.0AH ≥40 pieces (Φ160mm round wood)



20V (2.0AH)



20V (4.0AH)



20V (2.0AH)



20V (4.0AH)

GRASS TRIMMER **TT-BBC4033**


Voltage	40V (2*20V)
Motor	350W, brushed
Speed	7500RPM
Cutting Width	330mm
Line diameter	1.6mm
Line length	5m
Line outlet method	Automatic
Working shaft:	1340mm-1770mm
Adjustable head(4 Gear)	0°-22.5°-45°-67.5°
With adjustable trimming wheel(2 Gear)	0°-90°
With flower guard	Yes
Net weight	2.6kg
No-load endurance	2.0AH ≥35min
Load endurance	2.0AH ≥25min






2IN1 BRUSH CUTTING & GRASS TRIMMER **TT-BBC4035**

Voltage	40V (2*20V)
Motor	450W, Brushless
Speed	4500RPM-6000RPM
Line cutting diameter	350mm
Blade cutting diameter	254mm
Line diameter	2mm
Line length	5m
Line outlet method	Tapping
Foldable alloy tube	Yes
Removable handle	Yes
Net weight	3.7kg
No-load endurance	2.0AH ≥35min
Load endurance	2.0AH ≥20min



POLE SAW **TT-BPS4010**

Voltage	40V (2*20V)
Motor	400W, Brushless
Chain speed	8m/s
Bar&chain	10"
Working shaft	2000mm-2300mm
Rotable head(6 Gear)	Up 22.5° Down 90°
SDS System	Yes
Self-lubrication system	Yes
Net weight	3.2kg
No-load endurance	2.0AH ≥50min
Load endurance	2.0AH ≥40pieces (Φ80mm round wood)





20V (2.0AH)



20V (4.0AH)

POLE HEDGE TRIMMER TT-BPH4046

Voltage	40V (2*20V)
Motor	350W, Brushless
Cutting length	460mm
Cutting diameter	20mm
Cutting speed	3200SPM
Rotable head(6 Gear)	Up 22.5° Down 90°
Working shaft	2270mm-2560mm
Quick blade replacement system	Yes
Double-action laser blade	Yes
Net weight	3.8kg
No-load endurance	2.0AH ≥45min
Load endurance	2.0AH ≥38min



BRUSHLESS MOTOR



460MM BLADE LENGTH



20MM BLADE GAP



20V (2.0AH)



20V (4.0AH)

3IN1 MULTI-TOOL TT-BMT40


Voltage	40V (2*20V)		
Motor	600W, Brushless		
1: Trimming head: cutting diameter 360mm, 2.0mm wire diameter, 5m total length, tapping line; rotation speed 6000RPM;			
2: Chain saw head: 13m/s, 10" bar chain; 7 adjustable positions from 0-90°;			
3: Pruning head: cutting speed 3200SPM, cutting length 410mm, cutting diameter 20mm; with hook, double-action blade, aluminum bead; 11 adjustable positions of ±90°;			
Net weight	8kg		
	Trimmer head	Saw	Pruning shears
No-load endurance	2.0AH ≥35min	2.0AH ≥40min	2.0AH ≥40min
Load endurance	2.0AH ≥20min	2.0AH ≥35 pieces (Ø80mm round wood)	2.0AH ≥35min




BRUSHLESS MOTOR




410MM BLADE LENGTH



20MM BLADE GAP




25.4CM BAR LENGTH




13M/S CHAIN SPEED



CHAIN BRAKE



36 CM CUTTING WIDTH



2.0MM LINE DIAMETER

LEAF BLOWER

TT-BBL40

Voltage	40V (2*20V)
Motor	800W, Brushless
Max air speed	50m/s
Max air volume	970m ³ /h (570CFM)
Fast installation, removable air duct	
Stepless speed regulation with top speed function	
Net weight	2.8kg
Endurance	4.0AH ≥19min



20V (2.0AH)




20V (4.0AH)



570CFM
TURBO BOOST



BRUSHLESS
MOTOR



2 IN 1 LEAF BLOWER

TT-BBV40

Voltage	40V (2*20V)
Motor	400W, Brushless
Blowing Function:	
Air speed	245km/h (68m/s)
Air volume	240m ³ /h (140CFM)
Net weight	2.6kg (Blower)
Suction Function:	
Air speed	80km/h (22m/s)
Air volume	680m ³ /h (400CFM)
Broken leaves Ratio	8:1
Net weight	3.8kg (Suction)
Speed change system	Dial wheel stepless speed regulation
Dust bag	15L
Handle adjustment	180°
Removable and easy cleaning tube	
Endurance	4.0AH ≥15min



20V (2.0AH)



20V (4.0AH)



400CFM
TURBO BOOST




BRUSHLESS
MOTOR



HEDGE TRIMMER

TT-BHT4063

Voltage	40V (2*20V)
Motor	350W, Brushless
Cutting length	630mm
Cutting diameter	26mm
Cutting speed	3200SPM
Double-action laser blade with hook	Yes
Electronic brake	Yes
Quick-change blade structure	Yes
Handle angle(3 Gear)	-90°-0°-90°
Net weight	3kg
No-load endurance	2.0AH ≥60min
Load endurance	2.0AH ≥50min



20V (2.0AH)



20V (4.0AH)

ICE DRILL

TT-BID4008

Voltage	40V (2*20V)
Motor	850W, Brushless
Speed	350RPM
Drill	8"
Forward and reverse rotation	Yes
LED lighting	Yes
Net weight	4.0kg
No-load endurance	2.0AH ≥55min
Load endurance	2.0AH ≥25min



20V (2.0AH)



20V (4.0AH)







BMS SYSTEM

TITANTEC BATTERY TT-BL6020 TT-BL6040

Battery Voltage	60V	60V
Battery Capacity	2AH	4AH
LDE power display included	Yes	Yes
Net Weight	1kg	1.9kg





**THE
POWER TO
OUTPERFORM
PETROL**



**ZERO EMISSIONS
DURING USE**

Our arc lithium battery gives petrol matching power but without the fuss and fumes



**LESS NOISE AND
LESS VIBRATION**

Titantec often operate at lower noise and Vibration levels than traditional petrol powered tools



**EASY SET UP AND
STARTING**

No filling up with fuel, with titantec just click in the battery and get to work



LOWER RUNNING COSTS

The cost of running a titantec product for a month is the same as using a two stroke product for a day



FOLD FLAT, EASY STORE DESIGN

Unlike large heavy petrol mowers, the titantec mower's fold flat design makes storage and cleaning simple




NO PETROL TO STORE

Instead, titantec rapid charger refuels batteries in as little as 48 minutes - less than the run time you get from a full charge


LAWN MOWER_(HAND PUSH) **TT-BLM6018P**
TT-BLM6020P

Voltage	60V
Motor	1200W brushless
Speed	2700-3300RPM
Speed adjustment	2 Gear
Cutting diameter	460mm / 510mm
Grass bag capacity	60L Half cloth, half plastic
Front&rear wheel	8 inch/10 inch, plastic
7-speed centralised height adjustment	30-85mm
Grass collection method	Rear/Side
Working method	Hand push
Push rod system	Flip-up iron push rod, quick-release wrench, foldable
Net weight	27.5kg / 29kg
No-load endurance	4.0AH ≥75min / 4.0AH ≥60min
Load endurance	4.0AH ≥35min / 4.0AH ≥25min



LAWN MOWER_(SELF-PROPELLED) **TT-BLM6018S**
TT-BLM6020S

Voltage	60V
Motor	1200W brushless
Speed	2700-3300RPM
Speed adjustment	2 Gear
Cutting diameter	460mm / 510mm
Grass bag capacity	60L Half cloth, half plastic
Front&rear wheel	8 inch/10 inch, plastic
7-speed centralised height adjustment	30-85mm
Grass collection method	Rear/Side
Working method	self-propelled
Self-propelled speed	0.8m/s
Push rod system	Flip-up iron push rod, quick-release wrench, foldable
Net weight	29kg / 30.5kg
No-load endurance	4.0AH ≥70min / 4.0AH ≥55min
Load endurance	4.0AH ≥30min / 4.0AH ≥20min




SCARIFIER

TT-BSR6014

Voltage	60V
Motor	800W brushless
Speed	1250-1700RPM
Speed adjustment	3 Gear
Combing depth	minus 2-12mm
Loose soil depth	minus 3-11mm
Combing grass/soil loosening width	360mm
Grass collection bag capacity	37.5L
Front/Rear wheel	140mm /160mm, plastic
Height adjustment	5 Gear 20-55mm
Push rod system	Flip-up iron push rod, quick-release wrench, foldable
Grass collection method	Rear/Side
Net weigh	10.6kg
No-load endurance	4.0AH ≥130min
Load endurance	4.0AH ≥70min



60V (2.0/4.0AH)




BRUSHLESS MOTOR

36CM CUTTING CAPACITY



60V (2.0/4.0AH)



GRASS TRIMMER

TT-BBC60142

Voltage	60V
Motor	800W, Brushless
Speed	4500RPM-6000RPM
Speed adjustment	3 Gear
Line cutting width	360mm
Blade cutting width	254mm
Line diameter	2.4mm
Line length	4m
Line output method	Tapping
Net Weight	4.5kg
No-load endurance	4.0AH ≥60min
Load endurance	4.0AH ≥45min




36 / 25.4 CM CUTTING WIDTH



2.4MM LINE DIAMETER



BRUSHLESS MOTOR



3IN1 MULTI-TOOL

Voltage	60V
Motor	800W,Brushless
Net Weight	12,5kg

Trimmer head: Cutting diameter: 360mm Line diameter: 2.4mm Line length:4m Line output method: Tapping Speed:4500RPM-6000RPM No-load endurance:4.0AH ≥60min Load endurance:4.0AH ≥45min	Pruner: Chain speed:13-17.8m/s Bar& chain: 12" No-load endurance:4.0AH ≥40min Load endurance:4.0AH ≥50pieces (Φ120mm round wood)	Pole hedge trimmer: Cutting speed:1950SPM-2550SPM Cutting length: 410mm Cutting diameter: 22mm Double-action blade adjustment: 11 positions of ±90° No-load endurance:4.0AH ≥65min Load endurance:4.0AH ≥55min
---	--	--

TT-BMT60



2 IN 1 LEAF BLOWER TT-BBV60


Voltage	60V
Motor	870W,Brushless
Blowing Function:	
Air speed	235km/h (65m/s)
Air volume	305m³/h (200CFM)
Net weight	2.8kg
Suction Function:	
Air speed	80km/h (22m/s)
Air volume	780m³/h (460CFM)
Net weight	4kg (leaf suction machine)
Broken leaf ratio	8:1
Stepless speed regulation with top speed function	
Dust bag	45L(leaf blower)
Endurance	4.0AH ≥30min




HEDGE TRIMMER

TT-BHT6030

Voltage	60V
Motor	800W, Brushless
Cutting length	550mm/750mm
Cutting Diameter	28mm
Cutting Speed	2400-3100SPM
Dual action laser blade Electronic brake	
Rear handle adjustment angle(5 Gear)	-90°--45°-0°-45°-90°
Speed adjustment	3 Gear
Net Weight	4.6kg
No-load endurance	4.0AH ≥100min
Load endurance	4.0AH ≥85min



60V (2.0/4.0AH)



CHARGER

TT-BC6020

Input Voltage	100-240V 50-60Hz
Input Power	140W
Output Voltage	DC 60V
Charging current	MAX 2A
LED charging display	Yes
Net Weight	1kg

CHARGER-Faster

TT-BC6050

Input Voltage	100-240V 50-60Hz
Input Power	350W
Output Voltage	DC 60V
Charging current	MAX 5A
LED charging display	Yes
Net Weight	1.2kg

