



TITAN MACHINERY CO., LTD.

No.87, Yingxiang Road, Hushan Street, Wuyi County,
Zhejiang Province, China. 321200

Tel: +86 57989083008

Mob: +86 13566936020

Fax: +86 579 89083011

www.titantec.com

Titantec®

MAKE LIFE MORE BEAUTIFUL

LITHIUM-ION
CATALOG



CONTENTS

20V iMAX LITHIUM-ION		1-13		2x20V iMAX LITHIUM-ION		14-32		60V iMAX LITHIUM-ION		34-44	
BATTERY	1	LAWN MOWER	17	LAWN MOWER	37						
LAWN MOWER	3	SINGLE STEP SNOWPLOW	25	SCARIFIER	39						
CHAIN SAW	5	SNOW SHOVEL	26	GRASS TRIMMER	40						
GRASS TRIMMER	6	CHAIN SAW	27	3IN1 MULTI-TOOL	41						
POLE SAW	7	GRASS TRIMMER	28	2 IN 1 LEAF BLOWER	42						
POLE HEDGE TRIMMER	8	2IN1 BRUSH CUTTING & GRASS TRIMMER	29	HEDGE TRIMMER	43						
2IN1 MULTI-TOOL	9	3IN1 MULTI-TOOL	30	BATTERY	44						
LEAF BLOWER	11	LEAF BLOWER	31	CHARGER	44						
HEDGE TRIMMER	12	2 IN 1 LEAF BLOWER	32								
CHARGER	13	ICE DRIL	33								

20V MAX
LITHIUM-ION
BMS SYSTEM




TITANTEC BATTERY TT-BL2020

Voltage	20V
Capacity	2AH
LED power display	
net weight	0.38kg



TITANTEC BATTERY TT-BL2040

Voltage	20V
Capacity	4AH
LED power display	
net weight	0.65kg



20V MAX
LITHIUM-ION
**ONE BATTERY POWERS
MULTIPLE TOOLS**



LAWN MOWER TT-BLM2013


Voltage	20V
Motor	500W Brushless
Speed	4500RPM
Cutting diameter	330mm
Grass bag capacity	35L cloth & plastic
Four-wheel diameter	150mm, plastic wheel
Height mode (5 Gear)	25-65mm
Push rod system	Iron rod with quick release wrench and foldable
Net weight	9.3kg
No-load endurance	4.0AH ≥38min
Load endurance	4.0AH ≥25min



20V (2.0AH)



20V (4.0AH)



BRUSHLESS MOTOR

33CM CUTTING CAPACITY

SELF PROPEL

THE POWER TO OUTPERFORM PETROL



ZERO EMISSIONS DURING USE

Our arc lithium battery gives petrol matching power but without the fuss and fumes



LESS NOISE AND LESS VIBRATION

Titantec often operate at lower noise and Vibration levels than traditional petrol powered tools



EASY SET UP AND STARTING

No filling up with fuel,with titantec just click in the battery and get to work



LOWER RUNNING COSTS

The cost of running a titantec product for a month is the same as using a two stroke product for a day



FOLD FLAT,EASY STORE DESIGN

Unlike large heavy petrol mowers,the titantec mower's fold flat design makes storage and cleaning simple



NO PETROL TO STORE

Instead,titantec rapid charger refuels batteries in as little as 48 minutes-less than the run time you get from a full charge

CHAIN SAW **TT-BCS2010**


Voltage	20V
Motor	530W, Brushed
Max chain speed	5m/s
Bar&chain	10"
SDS system	Yes
Self-lubrication system	Yes
Kickback protection	Yes
Brake method	Electronic
Net weight	2.2kg
No-load endurance	4.0AH ≥60min
Load endurance	4.0AH ≥90pieces (Ø80mm round wood)



20V (2.0AH)




20V (4.0AH)



GRASS TIMMER

TT-BBC2030	TT-BBC2025
Voltage	20V
Motor	115W, Brushed
Speed	7000RPM
Cutting length	300mm
Line diameter	1.6mm
Line length	5m
Line out mode	Automatic
Line package	2x5m
Handle adjustment	0°-180°
Machine length	830mm-1100mm
Adjustable(4 Gear)	0°-22.5°-45°-67.5°
Trimming angle(3 Gear)	0°-90°-180°
With flower guard	Yes
Net weight	1.7kg
No-load endurance	2.0AH ≥28min
Load endurance	2.0AH ≥22min



TT-BBC2030 TRIMMER LINE
TT-BBC2025 BLADE

TT-BBC2030	TT-BBC2025
Voltage	20V
Motor	115W, Brushed
Speed	7400RPM
Cutting length	250mm
Cutting mode	plastic cutterhead + blade
Blade package	20pcs
Handle adjustment	0°-180°
Trimming angle (3 Gear)	0°-90°-180°
Machine length	830mm-1100mm
Adjustable(4 Gear)	0°-22.5°-45°-67.5°
With flower guard	Yes
Net weight	1.6kg
No-load endurance	2.0AH ≥36min
Load endurance	2.0AH ≥28min



20V (2.0AH)




20V (4.0AH)




POLE SAW TT-BPS2008


Voltage	20V
Motor	455W, Brushed
Chain speed	4m/s
bar&chain	8"
Working shaft length	1750mm-2500mm
Self-lubrication system	Yes
Net weight	2.65kg
No-load endurance	2.0AH ≥38min
Load endurance	2.0AH ≥45 pieces (Ø60mm round wood)



POLE HEDGE TRIMMER TT-BPH2042

Voltage	20V
Motor	220W, Brushed
Cutting length	420mm
Cutting diameter	16mm
Cutting speed	2700SPM
Head adjustment (6 Gear)	Up 22.5° Down 90°
Working shaft length	2000mm-2700mm
Double-action laser blade	Yes
Net weight	3kg
No-load endurance	2.0AH ≥60min
Load endurance	2.0AH ≥50min





2IN1 MULTI-TOOL **TT-BMT20**

Voltage	20V
Net weight	4.6kg
Saw	
Motor	455W, Brushed
Chain speed	4m/s
bar&chain	8"
Working shaft length	1750mm-2500mm
Self-lubrication system	Yes
No-load endurance	2.0AH ≥38min
Load endurance	2.0AH ≥45 pieces (Φ 60mm round wood)
Pruning shears	
Motor	220W, Brushed
Cutting length	420mm
Cutting diameter	16mm
Cutting speed	2700SPM
Head adjustment (6 Gear)	Up 22.5° Down 90°
Working shaft length	2000mm-2700mm
Double-action laser blade	Yes
No-load endurance	2.0AH ≥60min
Load endurance	2.0AH ≥50min



LEAF BLOWER

TT-BBL20

Voltage	20V
Motor	430W, Brushed
Max wind speed	40m/s
Max air volume:	595m ³ /h (350CFM)
Quick installation, removable air duct	
Stepless speed regulation with 5 gear	
Net weight	1.9kg
endurance	4.0AH ≥12min



20V (2.0AH)



20V (4.0AH)



350CFM
TURBO BOOST

HEDGE TRIMMER

TT-BHT2052


Voltage	20V
Motor	220W, Brushed
Cutting length	520mm
Cutting diameter	16mm
Cutting speed	2700SPM
Rear handle (3 Gear)	-90°-0°-90°
Brake method	Electronic
Double-action laser blade with hook	Yes
Net weight	2kg
No-load endurance	2.0AH ≥50min
Load endurance	2.0AH ≥40min



20V (2.0AH)



20V (4.0AH)



520MM
BLADE LENGTH

16MM
BLADE GAP





CHARGER **TT-BC2024**

Input voltage	200-240V(European standard)/100-120V(American standard) 50-60Hz
Input power	70W
Output voltage	DC 20V
Output current	MAX 2.4A
LED Charging Display	
Net Weight	0.35kg

► **TECH SPECS**

- Intelligent battery control system monitors each cell's charge and temperature to deliver the quickest, most efficient charge
- Easy to use snap-in and snap-out
- Charges all TITANTEC 20V batteries
- Dual Fast Charger—Rapidly charge up to 2 batteries in



CHARGER-Faster **TT-BC2048**

Input voltage	200-240V(European standard)/100-120V(American standard) 50-60Hz
Input power	140W
Output voltage	DC 20V
Output current	MAX 4.8A(2 output ports)
LED Charging Display	
Net Weight	0.68kg



Titantec
MAKE LIFE MORE BEAUTIFUL

2x20V MAX
LITHIUM-ION



**THE
POWER TO
OUTPERFORM
PETROL**



**ZERO EMISSIONS
DURING USE**

Our arc lithium battery gives petrol matching power but without the fuss and fumes



**LESS NOISE AND
LESS VIBRATION**

Titantec often operate at lower noise and Vibration levels than traditional petrol powered tools



**EASY SET UP AND
STARTING**

No filling up with fuel; with titantec just click in the battery and get to work



LOWER RUNNING COSTS

The cost of running a titantec product for a month is the same as using a two stroke product for a day



FOLD FLAT, EASY STORE DESIGN

Unlike large heavy petrol mowers, the titantec mower's fold flat design makes storage and cleaning simple




NO PETROL TO STORE

Instead, titantec rapid charger refuels batteries in as little as 48 minutes - less than the run time you get from a full charge


PLASTIC DECK LAWN MOWER TT-BLM370

Voltage	40V (2*20V)
Motor	650W, Brushless
Speed	3200 constant speed/Max 3700RPM
Cutting diameter	370mm
Grass bag capacity	40L, Cloth & Plastic
Front&Rear wheel	150mm/180mm, plastic
6 Gear height adjustment	25-75mm
Push rod	Iron
Grass collection method	Rear
Net weight	14.2kg
No-load endurance	4.0AH ≥120min
Load endurance	4.0AH ≥55min





PLASTIC DECK LAWN MOWER TT-BLM430

Voltage	40V (2*20V)
Motor	750W, Brushless
Speed	3200 constant speed/Max 3700RPM
Cutting diameter	430mm
Grass bag capacity	40L, Cloth & Plastic
Front&Rear wheel	150mm/180mm, plastic
6 Gear height adjustment	25-75mm
Push rod	Iron
Grass collection method	Rear
Net weight	15.6kg
No-load endurance	4.0AH ≥110min
Load endurance	4.0AH ≥45min





IRON DECK LAWN MOWER (HAND PUSH) TT-BLM460P

Voltage	40V (2*20V)
Motor	850W, Brushless
Speed	3200RPM Dual constant speed
Cutting diameter	460mm
Grass bag capacity:	50L Cloth & Plastic
Front&Rear wheel	180mm/250mm,rubber
6 Gear height adjustment	30-80mm
Grass collection method	Rear/Side
Working method	hand push
Push rod	Flip-up iron push rod
Net weight	25kg
No-load endurance	4.0AH ≥65min
Load endurance	4.0AH ≥30min




IRON DECK LAWN MOWER (HAND PUSH) TT-BLM510P

Voltage	40V (2*20V)
Motor	850W, Brushless
Speed	3500RPM Dual constant speed
Cutting diameter	510mm
Grass bag capacity:	50L Cloth & Plastic
Front&Rear wheel	180mm/250mm,rubber
6 Gear height adjustment	30-80mm
Grass collection method	Rear/Side
Working method	hand push
Push rod	Flip-up iron push rod
Net weight	28kg
No-load endurance	4.0AH ≥40min
Load endurance	4.0AH ≥18min




IRON DECK LAWN MOWER (BELT SELF-PROPELLED) TT-BLM460BS

Voltage	40V (2*20V)
Motor	1000W, Brushless
Speed	3200RPM Dual constant speed
Cutting diameter	460mm
Grass bag capacity	50L cloth & plastic
Front&Rear wheel	180mm/250mm,rubber
6 Gear height adjustment	30-80mm
Grass collection method	Rear/Side
Belt self-propelled speed	0.8m/s
Push rod	Flip-up iron push rod
Net weight	26kg
No-load endurance	4.0AH ≥60min
Load endurance	4.0AH ≥25min



BRUSHLESS MOTOR 46CM CUTTING CAPACITY SELF PROPEL



METAL CUTTING DECK AUTOMATIC VARIABLE CUTTING SPEED




20V (2.0AH)




20V (4.0AH)

IRON DECK LAWN MOWER (BELT SELF-PROPELLED) TT-BLM510BS

Voltage	40V (2*20V)
Motor	1150W, Brushless
Speed	3500RPM Dual constant speed
Cutting diameter	510mm
Grass bag capacity	50L cloth & plastic
Front&Rear wheel	180mm/250mm,rubber
6 Gear height adjustment	30-80mm
Grass collection method	Rear/Side
Belt self-propelled speed	0.8m/s
Push rod	Flip-up iron push rod
Net weight	29kg
No-load endurance	4.0AH ≥35min
Load endurance	4.0AH ≥15min



BRUSHLESS MOTOR 51CM CUTTING CAPACITY SELF PROPEL



METAL CUTTING DECK AUTOMATIC VARIABLE CUTTING SPEED





20V (2.0AH)



20V (4.0AH)



IRON DECK LAWN MOWER (BRUSH SELF-PROPELLED) TT-BLM460ES

Voltage	40V (2*20V)
Motor	850W, Brushless
Speed	3200RPM Dual constant speed
Cutting diamete	460mm
Grass bag capacity	50L cloth & plastic
Front&Rear wheel	180mm/250mm,rubber
6 Gear height adjustment	30-80mm
Grass collection method	Rear/Side
Working method	Brush GT stepless self-propelled
Self-propelled speed	0.8-1M/S
Push rod	Aluminum push rod with adjustable height
Net weight	26kg
No-load endurance	4.0AH ≥60min
Load endurance	4.0AH ≥25min



IRON DECK LAWN MOWER (BRUSH SELF-PROPELLED) TT-BLM510ES

Voltage	40V (2*20V)
Motor	1000W, Brushless
Speed	3500RPM Dual constant speed
Cutting diamete	510mm
Grass bag capacity	50L cloth & plastic
Front&Rear wheel	180mm/250mm,rubber
6 Gear height adjustment	30-80mm
Grass collection method	Rear/Side
Working method	Brush GT stepless self-propelled
Self-propelled speed	0.8-1M/S
Push rod	Aluminum push rod with adjustable height
Net weight	29kg
No-load endurance	4.0AH ≥35min
Load endurance	4.0AH ≥15min



SINGLE STEP SNOWPLOW TT-BS4020

Voltage	40V (2*20V)
Motor	1000W, Brushless
Width	20" (508mm)
Auger length	390mm
Speed	2200RPM
Snow depth	12"
Outlet height	250mm
Outlet rotation angle	Rotate 90° to the left Rotate 90° to the right
Outlet Rotation angle adjustment method	Mechanical manual
Headlight	Yes
Working method	Hand-pushed
Auger transmission method	Belt-drive
Throwing height	3m
Throwing distance	6m
Wheel diameter	7"
Snow throwing angle (8 Gear)	0-58°
Net weight	14,9kg
No-load endurance	4,0AH ≥50min
Load endurance	4,0AH ≥35min



SNOW SHOVEL TT-BSS4013

Voltage	40V (2*20V)
Motor	400W, Brushless
Removal size	330mm
Auger length	275mm
Auger Speed	1500RPM
Throwing height	3m
Throwing distance	5m
Handle	180°
Snow throwing angle	Rotate 30° to the left Rotate 30° to the right
Net weight	6kg
No-load endurance	2,0AH ≥35min
Load endurance	2,0AH ≥25min
Battery level display	Dual LED



CHAIN SAW **TT-BCS4016**


Voltage	40V (2*20V)
Motor	1000W, Brushless
Chain speed	15m/s-20m/s
Bar&chain	16"
SDS system	Yes
Self-lubrication system	Yes
Kickback protection	Yes
Brake method	Electronic & mechanical
Net weight	2.9kg
No-load endurance	4.0AH ≥50min
Load endurance	4.0AH ≥40 pieces (Φ160mm round wood)
Battery level display	Dual LED
Speed modes	2-speed adjustment



20V (2.0AH)



20V (4.0AH)



40CM
BAR LENGTH

15m/s-20m/s
CHAIN SPEED

CHAIN BRAKE



BRUSHLESS
MOTOR



20V (2.0AH)




20V (4.0AH)



GRASS TRIMMER **TT-BBC4030**

Voltage	40V (2*20V)
Motor	350W, brushed
Speed	7500RPM
Cutting Width	300mm
Line diameter	1.6mm
Line length	5m
Line outlet method	Automatic
Working shaft:	1385mm-1734mm
Adjustable head(4 Gear)	0°-22.5°-45°-67.5°
With adjustable trimming wheel(2 Gear)	0°-90°
With flower guard	Yes
Net weight	2.6kg
No-load endurance	2.0AH ≥35min
Load endurance	2.0AH ≥25min
Battery level display	Dual LED



30 CM
CUTTING WIDTH




1.6MM LINE
DIAMETER



2IN1 BRUSH CUTTING & GRASS TRIMMER TT-BBC4035

Voltage	40V (2*20V)
Motor	450W, Brushless
Speed	4500RPM-6000RPM
Line cutting diameter	350mm
Blade cutting diameter	254mm
Line diameter	2mm
Line length	5m
Line outlet method	Tapping
Foldable alloy tube	Yes
Removable handle	Yes
Net weight	3.7kg
No-load endurance	2.0AH ≥35min
Load endurance	2.0AH ≥20min
Battery level display	Dual LED
Speed modes	2-speed adjustment



35 / 25.4 CM CUTTING WIDTH



2.0MM LINE DIAMETER



BRUSHLESS MOTOR



20V (2.0AH)



20V (4.0AH)



3IN1 MULTI-TOOL TT-BMT40

Voltage	40V (2*20V)
Motor	600W, Brushless
Battery level display	Dual LED

1: Trimming head: cutting diameter 360mm, 2.0mm wire diameter, 5m total length, tapping line; rotation speed 6000RPM;


2: Chain saw head: 15m/s, 10" bar chain; 7 adjustable positions from 0-90°;

3: Pruning head: cutting speed 2500SPM, cutting length 410mm, cutting diameter 20mm; with hook, double-action blade, aluminum bead; 11 adjustable positions of ±90°;


Net weight	8kg		
	Trimmer head	Saw	Pruning shears
No-load endurance	2.0AH ≥35min	2.0AH ≥40min	2.0AH ≥40min
Load endurance	2.0AH ≥20min	2.0AH ≥35 pieces (Ø80mm round wood)	2.0AH ≥35min




BRUSHLESS MOTOR




410MM BLADE LENGTH



20MM BLADE GAP




25.4CM BAR LENGTH



15M/S CHAIN SPEED



CHAIN BRAKE



36 CM CUTTING WIDTH



2.0MM LINE DIAMETER

LEAF BLOWER

TT-BBL40

Voltage	40V (2*20V)
Motor	800W, Brushless
Max air speed	50m/s
Max air volume	970m ³ /h (570CFM)
Fast installation, removable air duct	
Stepless speed regulation with top speed function	
Net weight	2.8kg
Endurance	4.0AH ≥19min
Battery level display	Dual LED
Speed modes	3-speed adjustment



570CFM
TURBO BOOST



BRUSHLESS
MOTOR



20V (2.0AH)



20V (4.0AH)

2 IN 1 LEAF BLOWER

TT-BBV40

Voltage	40V (2*20V)
Motor	400W, Brushless
Blowing Function:	
Air speed	245km/h (68m/s)
Air volume	240m ³ /h (140CFM)
Net weight	2.6kg (Blower)
Suction Function:	
Air speed	80km/h (22m/s)
Air volume	680m ³ /h (400CFM)
Broken leaves Ratio	8:1
Net weight	3.8kg (Suction)
Speed change system	Dial wheel stepless speed regulation
Dust bag	15L
Handle adjustment	180°
Removable and easy cleaning tube	
Endurance	4.0AH ≥15min
Battery level display	Dual LED
Speed modes	3-speed adjustment



400CFM
TURBO BOOST



BRUSHLESS
MOTOR



20V (2.0AH)



20V (4.0AH)



ICE DRIL

TT-BID4008

Voltage	40V (2*20V)
Motor	850W, Brushless
Speed	350RPM
Drill	6" / 8"
Forward and reverse rotation	Yes
LED lighting	Yes
Net weight	4.0kg
No-load endurance	2.0AH ≥55min
Load endurance	2.0AH ≥25min
Battery level display	Dual LED



20V (2.0AH)



20V (4.0AH)



BRUSHLESS MOTOR



60V IMAX
LITHIUM-ION
ONE BATTERY POWERS
MULTIPLE TOOLS



**THE
POWER TO
OUTPERFORM
PETROL**



**ZERO EMISSIONS
DURING USE**

Our arc lithium battery gives petrol matching power but without the fuss and fumes



**LESS NOISE AND
LESS VIBRATION**

Titantec often operate at lower noise and Vibration levels than traditional petrol powered tools



**EASY SET UP AND
STARTING**

No filling up with fuel, with titantec just click in the battery and get to work



LOWER RUNNING COSTS

The cost of running a titantec product for a month is the same as using a two stroke product for a day



FOLD FLAT, EASY STORE DESIGN

Unlike large heavy petrol mowers, the titantec mower's fold flat design makes storage and cleaning simple




NO PETROL TO STORE

Instead, titantec rapid charger refuels batteries in as little as 48 minutes- less than the run time you get from a full charge


LAWN MOWER_(HAND PUSH) **TT-BLM6018P**
TT-BLM6020P

Voltage	60V
Motor	1200W brushless
Speed	2700-3300RPM
Speed adjustment	2 Gear
Cutting diameter	460mm / 510mm
Grass bag capacity	60L Half cloth, half plastic
Front&rear wheel	8 inch/10 inch, plastic
7-speed centralised height adjustment	30-85mm
Grass collection method	Rear/Side
Working method	Hand push
Push rod system	Flip-up iron push rod, quick-release wrench, foldable
Net weight	27,5kg / 29kg
No-load endurance	4,0AH ≥75min / 4,0AH ≥60min
Load endurance	4,0AH ≥35min / 4,0AH ≥25min



LAWN MOWER_(SELF-PROPELLED) **TT-BLM6018S**
TT-BLM6020S

Voltage	60V
Motor	1200W brushless
Speed	2700-3300RPM
Speed adjustment	2 Gear
Cutting diameter	460mm / 510mm
Grass bag capacity	60L Half cloth, half plastic
Front&rear wheel	8 inch/10 inch, plastic
7-speed centralised height adjustment	30-85mm
Grass collection method	Rear/Side
Working method	self-propelled
Self-propelled speed	0,8m/s
Push rod system	Flip-up iron push rod, quick-release wrench, foldable
Net weight	29kg / 30,5kg
No-load endurance	4,0AH ≥70min / 4,0AH ≥55min
Load endurance	4,0AH ≥30min / 4,0AH ≥20min




SCARIFIER

TT-BLS3014

Voltage	60V
Motor	800W brushless
Speed	1250-1700RPM
Speed adjustment	3 Gear
Combing depth	minus 2-12mm
Loose soil depth	minus 3-11mm
Combing grass/soil loosening width	360mm
Grass collection bag capacity	37.5L
Front/Rear wheel	140mm /160mm, plastic
Height adjustment	5 Gear 20-55mm
Push rod system	Flip-up iron push rod, quick-release wrench, foldable
Grass collection method	Rear/Side
Net weigh	10.6kg
No-load endurance	4.0AH ≥130min
Load endurance	4.0AH ≥70min



60V (2.0/4.0AH)




BRUSHLESS MOTOR

36CM CUTTING CAPACITY



60V (2.0/4.0AH)



GRASS TRIMMER

TT-BBC60142

Voltage	60V
Motor	800W, Brushless
Speed	4500RPM-6000RPM
Speed adjustment	3 Gear
Line cutting width	360mm
Blade cutting width	254mm
Line diameter	2.4mm
Line length	4m
Line output method	Tapping
Net Weight	4.5kg
No-load endurance	4.0AH ≥60min
Load endurance	4.0AH ≥45min



36 / 25.4 CM CUTTING WIDTH



2.4MM LINE DIAMETER



BRUSHLESS MOTOR



3IN1 MULTI-TOOL

Voltage	60V
Motor	800W,Brushless
Net Weight	12,5kg

Trimmer head:
Cutting diameter: 360mm
Line diameter: 2,4mm
Line length:4m
Line output method: Tapping
Speed:4500RPM-6000RPM
No-load endurance:4.0AH ≥60min
Load endurance:4.0AH ≥45min



Pruner:
Chain speed:13-17,8m/s
Bar & chain: 12"
No-load endurance:4.0AH ≥40min
Load endurance:4.0AH ≥50pieces (Φ120mm round wood)

Pole hedge trimmer:
Cutting speed:1950SPM-2550SPM
Cutting length: 410mm
Cutting diameter: 22mm
Double-action blade adjustment: 11 positions of ±90°
No-load endurance:4.0AH ≥65min
Load endurance:4.0AH ≥55min

TT-BMT60



60V (2.0/4.0AH)



2 IN 1 LEAF BLOWER TT-BBV60

Voltage	60V
Motor	870W,Brushless
Blowing Function:	
Air speed	235km/h (65m/s)
Air volume	305m³/h (200CFM)
Net weight	2.8kg
Suction Function:	
Air speed	80km/h (22m/s)
Air volume	780m³/h (460CFM)
Net weight	4kg (leaf suction machine)
Broken leaf ratio	8:1
Stepless speed regulation with top speed function	
Dust bag	45L(leaf blower)
Endurance	4.0AH ≥30min





60V (2.0/4.0AH)



HEDGE TRIMMER TT-BHT6030

Voltage	60V
Motor	800W, Brushless
Cutting length	550mm/750mm
Cutting Diameter	28mm
Cutting Speed	2400-3100SPM
Dual action laser blade Electronic brake	
Rear handle adjustment angle(5 Gear)	-90°--45°-0°-45°-90°
Speed adjustment	3 Gear
Net Weight	4.6kg
No-load endurance	4.0AH ≥100min
Load endurance	4.0AH ≥85min



60V (2.0/4.0AH)



TITANTEC BATTERY TT-BL6020

Battery Voltage	60V
Battery Capacity	2AH
LDE power display included	Yes
Net Weight	1kg

TITANTEC BATTERY TT-BL6040

Battery Voltage	60V
Battery Capacity	4AH
LDE power display included	Yes
Net Weight	1.9kg



BMS SYSTEM

- **TECH SPECS**
- Over Current Protection
 - Software
 - Hardware
 - Over Charge Protection
 - Short Circuit Protection
 - Over Temperature Protection
 - Charge Balancing
 - Over Discharge Protection
 - Charge Protection When Over Discharge

CHARGER TT-BC6020

Input Voltage	100-240V 50-60Hz
Input Power	140W
Output Voltage	DC 60V
Charging current	MAX 2A
LED charging display	Yes
Net Weight	1kg

CHARGER-Faster TT-BC6050

Input Voltage	100-240V 50-60Hz
Input Power	350W
Output Voltage	DC 60V
Charging current	MAX 5A
LED charging display	Yes
Net Weight	1.2kg

BMS SYSTEM

